



1.2 ml Microtubes, natural, Bag (non-steriel)



Product Highlights

- Moulded reference grid on lid.
- Suitable for use down to -80 °C
- Non-sterile product certified RNase and DNase free
- Sterile product certified RNase, DNase, DNA and Pyrogen free

Product Applications

Sample dilution and/or mixing prior to transfer into microtiter plates

HTLV-III testing

RIA & EIA

PCR

Pharmaceutical quality control

Blood bank sample freezer storage

Transport of specimens and reagents

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: info@starlab.co.uk



General Data

Art. No.	I1412-0000
Pack Size	1,000 Pcs. (1 Bag × 1000 Pcs.)
Dimensions (W × D × H)	85 mm × 127 mm × 41 mm
Dimensions (W × D)	85 mm × 127 mm
Sterile	No
Volume	1.2 ml
Material	Polypropylene
DNase free	Yes
RNase free	Yes
Color	Natural
Operating temperature	-80 °C

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: info@starlab.co.uk



More informations about 1.2 ml Microtubes, natural, Bag (non-steriel)

A heavy duty rack with the same footprint as a standard plate, containing 96 individual 1.2 ml tubes. Each tube is fully supported at the base to withstand the pressures applied by robotic systems. The base of the rack can be easily removed for waterbath applications.