



## 125 ml Polypropylene Graduated Screw Cap Container, non-sterile



### Product Highlights

- 20ml graduations
- Frosted writing panel
- Aseptically produced in a fully automated and bio-controlled environment
- Temperature use: -10 °C to 70 °C
- Dimensions: 75 mm high x 62 mm diameter (including cap)

## Product Applications

Sample preparation

Sample storage

Preparation of master mixes and buffers

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab (UK) LTD**  
5 Tanners Drive  
MK14 5BU Milton Keynes  
Email: [info@starlab.co.uk](mailto:info@starlab.co.uk)



## General Data

Art. No.	E1412-6104
Pack Size	475 Pcs. (1 Box × 475 Pcs.)
Diameter	62 mm
Sterile	No
Autoclavable	No
Volume	125 ml
Material	Polypropylene

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab (UK) LTD**  
5 Tanners Drive  
MK14 5BU Milton Keynes  
Email: [info@starlab.co.uk](mailto:info@starlab.co.uk)







## More informations about 125 ml Polypropylene Graduated Screw Cap Container, non-sterile

125 ml polypropylene container with red polyethylene screw cap. 20 ml graduations marked up to 100 ml. Frosted writing panel. Aseptically\* produced. Temperature use: -10 °C to 70 °C

\*Aseptically produced in a fully automated and bio-controlled environment.



## All Variations

PRODUCT NAME		PACKAGING SIZE	ART. NO.
	<a href="#">60 ml Polystyrene Screw Cap Container, non-sterile</a> <b>Volume:</b> 60 ml	600 Pcs. (1 Box × 600 Pcs.)	E1412-6004
	 <a href="#">Create PDF Data Sheet</a>		
	<a href="#">125 ml Polypropylene Graduated Screw Cap Container, non-sterile</a> <b>Volume:</b> 125 ml	475 Pcs. (1 Box × 475 Pcs.)	E1412-6104
	 <a href="#">Create PDF Data Sheet</a>		

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab (UK) LTD**  
5 Tanners Drive  
MK14 5BU Milton Keynes  
Email: [info@starlab.co.uk](mailto:info@starlab.co.uk)