



StarGuard® Comfort



Product Highlights

- A thinner-feel nitrile glove, ideal for work that requires great dexterity
- Exceptional comfort without sacrificing protection
- Certified to minimise the risk of ergonomic hand injuries
- 245 mm long to provide full cover over the wrist.
- Larger pack size helps the environment by reducing packing materials and transportation

Product Applications

Personal protection
Occupational health and safety
Sample protection
Process protection

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: info@starlab.co.uk



General Data

| | |
|-------------------------------------|----------------------------------|
| Art. No. | See variations |
| Pack Size | 2,500 Pcs. (10 Boxes × 250 Pcs.) |
| Length | 245 mm (±3) |
| Sterile | No |
| Material | Nitrile |
| Finish | Textured fingers |
| Interior | Powder-free |
| Thickness (Cuff) | 0.04 – 0.08 mm |
| Thickness (Finger) | 0.05 – 0.09 mm |
| Thickness (Palm) | 0.09 – 0.13 mm |
| Color | Light blue |
| Pack Dimensions (WxDxH) | 390x290x250 mm |
| Box Dimensions (WxDxH) | 235x130x85 mm |
| Ambidextrous | Yes |
| Cuff | Standard |
| Elongation after aging (%) | 400 |
| Elongation after aging (MPa) | 31 MPa |
| Force at break after aging (N) | 7 N |
| Force at break before aging (N) | 7 N |
| Minimum elongation before aging (%) | 500 |
| Reusable | No |
| Shelf life | 5 years |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: info@starlab.co.uk



| | |
|-------------------------------------|--|
| Tensile strength before aging (MPa) | 33 MPa |
| AQL | 0.65 |
| ASTM D6124 | In compliance |
| ASTM D6319 | In compliance |
| EN 16523-1 | In compliance, splash protection |
| EN 374-2 | Level 3 |
| EN 374-4 | In compliance, determination of resistance to degradation |
| EN 374-5 | In compliance, requirements for micro-organism risks |
| EN ISO 21420 | In compliance |
| EN374-3 / EN16523-1 | In compliance, splash protection |
| EN 455 | In compliance, parts 1,2,3,4 |
| ISO 16604 (Part B) | In compliance, protection against penetration by blood-borne pathogens |
| ISO 21171 | In compliance |
| PPE Regulation (EU) 2016/425 | Personal Protective Equipment (PPE) Category III |
| Regulation EC 1935/2004 | In compliance, food contact |



More informations about StarGuard® Comfort

Enhanced comfort by improved fit

An extremely soft and strong glove that provides improved tactile sensitivity to help reduce the risk of hand fatigue.

Recommended for use when:

- › Work demands dexterity and tactile sensitivity
- › You require a lightweight glove with exceptional fit
- › You want to reduce hand fatigue caused by gloves
- › A combination of comfort and chemical protection is needed
- › Gloves must be approved for food contact according to EU Regulation (EC) No. 1935/2004.

Combating hand fatigue!











Hand fatigue not only severely impacts the work you do today, it can also have long-term ramifications. StarGuard® Comfort has been recognised as an Ergonomic Certified glove that provides measurable ergonomic benefits to the user by improving comfort and fit, and minimising the risk factors that may contribute to ergonomic injuries.

Improved fit and longer length

StarGuard® Comfort have snug fitting fingers and are 245 mm long to provide full cover over the wrist.




All Variations


| PRODUCT NAME | PACKAGING SIZE | ART. NO. |
|---|----------------------------------|----------|
|  StarGuard® Comfort, Nitrile Gloves, XS Size: Extra Small  Create PDF Data Sheet | 2,500 Pcs. (10 Boxes × 250 Pcs.) | SG-C-XS |
|  StarGuard® Comfort, Nitrile Gloves, S Size: Small  Create PDF Data Sheet | 2,500 Pcs. (10 Boxes × 250 Pcs.) | SG-C-S |
|  StarGuard® Comfort, Nitrile Gloves, M Size: Medium  Create PDF Data Sheet | 2,500 Pcs. (10 Boxes × 250 Pcs.) | SG-C-M |
|  StarGuard® Comfort, Nitrile Gloves, L Size: Large  Create PDF Data Sheet | 2,500 Pcs. (10 Boxes × 250 Pcs.) | SG-C-L |
|  StarGuard® Comfort, Nitrile Gloves, XL Size: Extra Large  Create PDF Data Sheet | 2,300 Pcs. (10 Boxes × 230 Pcs.) | SG-C-XL |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: info@starlab.co.uk



Accessories

| PRODUCT NAME | | PACKAGING SIZE | ART. NO. |
|---|--------------------------------------|----------------------------|------------|
|  | Wire Glove Dispenser | 1 Piece (1 Pack × 1 Piece) | E3099-3100 |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: info@starlab.co.uk