



GuardOne® Workstation-Laminar Flow



Product Highlights

- **Safe:** Efficient UV_{254nm} decontamination with timer function | Automatic UV lamp cut-off when front sash is opened | Efficient, class H14 HEPA filter with prefilter | ISO class 5 working environment
- **Reliable:** UV lamp lifespan surveillance | HEPA filter lifespan surveillance | Realtime airflow measurement | Device status monitoring
- Easy to use: Glove-compatible touchscreen | One touch QuickStart / QuickStop | Virtually maintenance free | Easy to clean
- Innovative: Minimal packaging volume and weight reduces transport needs | Easy, tool-free assembly -

set up your GuardOne[®] in just 15 minutes | Tool-free HEPA filter exchange in just 2 minutes

• 2-year warranty

Product Applications

Sample preparation prior to thermocycling of DNA or RNA Post-PCR techniques Binding studies and other incubations Cell culture work Sterile solution preparations (Molecular) plant physiology (use the innovative red-light option for light sensitive experiments) Microbiological culture work Any sensitive experiments requiring a controlled, clean environment *GuardOne^{*} is not designed to protect the operator

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







General Data

| Art. No. | See variations |
|-----------------------------|----------------------------|
| Pack Size | 1 Piece (1 Pack × 1 Piece) |
| Dimensions (W \times H) | × 877 mm |
| HEPA Filter | Yes |
| HEPA Filter Life Monitor | Yes |
| Lab Event Timer | Yes |
| UV Light Timer | 0 - 60 mins (digital) |
| Air velocity | 0.2 – 0.4 m/s |
| Fluorescent bulb | Yes |
| LED Light Density | 1400 lx |
| Pre-Filter | Yes |
| UV Bulb | 2 x 15 W, 254 nm |
| UV Bulb Live Monitor | Yes |
| UV Safety Interlock Switch | Yes |
| UVTect Controller | Yes |
| Variable Speed Blow Control | Yes |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







More informations about GuardOne® Workstation-Laminar Flow

Work with your valuable samples without cross-contamination

Starlab's new GuardOne[®] Workstation provides the ideal workspace for sensitive and critical applications requiring a clean environment, or protection from potential contaminations by bacteria, DNA or RNA. GuardOne[®] minimizes cross-contamination risk and protects your valuable samples and reagents and saves you time by not having to duplicate your work.

The GuardOne[®] Workstation with silent, energy-saving fan, real-time airflow measurement and two stage filter system creates an ISO 5 cleanroom environment^{*} to improve your results. The UV lamp with timer function allows you to easily decontaminate the working area whenever needed. Made from optically-clear, UV-impermeable polycarbonate,

GuardOne[®] provides the user with an optimal view while working and full protection from harmful UV when decontaminating. A safety-switch on the sash door prevents any UV use while working.

Every aspect of GuardOne[®] has been designed with convenience in mind. All functions can be controlled via the intuitive touchscreen that is compatible with laboratory gloves. The integrated lab timer, constant monitoring of the UV lamp

and the HEPA filters lifespan will ease your work further. Check the GuardOne[®] status at a glance and at any time using the color coded status indicator on the touchscreen.

Features:

- > Double folding sash for easy access
- > full PC shell to reflect UV instead of UV absorbing Acrylic -Effective decontamination and longevity
- > Polymer bases instead of stainless steel so doesn't corrode from cleaning with disinfectants and spill groove to contain spills (and Dead Air)
- > Shelf with integrated pipette holder (and Dead Air)
- > Equipment access ports (and Dead Air)
- > Long life UV bulb ~9000 hours
- > Optional trolley available

GuardOne[®] Workstation can be used for various applications such as:

- > Sample preparation prior to thermocycling of DNA or RNA
- > Post-PCR techniques
- > Binding studies and other incubations
- > Cell culture work
- > Sterile solution preparations
- > (Molecular) plant physiology (use the innovative red-light option for light sensitive experiments)
- > Microbiological culture work

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







> Any sensitive experiments requiring a controlled, clean environment

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







All Variations

| PRODUCT NAM | E | PACKAGING SIZE | ART. NO. |
|-------------|---|----------------------------|------------|
| | <u>GuardOne® Laminar Flow 32" (80 cm)</u> Dimensions: 32 in (80 cm) | 1 Piece (1 Pack × 1 Piece) | S8040-0000 |
| | Create PDF Data Sheet | | |
| | <u>GuardOne® Laminar Flow 48" (120 cm)</u> Dimensions: 48 in (120 cm) | 1 Piece (1 Pack × 1 Piece) | S8040-0001 |
| | Create PDF Data Sheet | | |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







Accessories

| PRODUCT NAME | : | PACKAGING SIZE | ART. NO. |
|--------------|---|----------------------------|------------|
| | HEPA Filter for GuardOne® Workstation 32" laminar flow model | 1 Piece (1 Pack × 1 Piece) | S8040-0010 |
| | HEPA Filter for GuardOne® Workstation 48" laminar flow model | 2 Pcs. (1 Pack × 2 Pcs.) | S8040-0011 |
| | Replacement shelf with integrated pipette holder for GuardOne® Workstation 32" models | 1 Piece (1 Pack × 1 Piece) | S8040-0015 |
| | Replacement shelf with integrated pipette holder for GuardOne® Workstation 48" models | 1 Piece (1 Pack × 1 Piece) | S8040-0016 |
| | Pre-Filter for GuardOne® Workstation 32" & 48" laminar flow models | 2 Pcs. (1 Pack × 2 Pcs.) | S8040-0014 |
| | Replacement UV lamp for GuardOne® Workstation 32" models | 1 Piece (1 Pack × 1 Piece) | S8040-0012 |
| | Replacement UV lamp for GuardOne® Workstation 48" models | 2 Pcs. (1 Pack × 2 Pcs.) | S8040-0013 |
| Bann Law | Replacement hood for GuardOne® Workstation 32" models | 1 Piece (1 Pack × 1 Piece) | S8040-0036 |
| • 100 tant | Replacement hood for GuardOne® Workstation 48" models | 1 Piece (1 Pack × 1 Piece) | S8040-0037 |
| | Trolley for GuardOne® Workstation 48" models | 1 Piece (1 Pack × 1 Piece) | S8040-0018 |
| | Trolley for GuardOne® Workstation 32" models | 1 Piece (1 Pack × 1 Piece) | S8040-0017 |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

