



Culture Tubes



Product Highlights

- 14 ml capacity
- White writing area
- Graduations marked at 0.25 ml increments
- Centrifugation rates: 3,000 x g (PP), 1,400 x g (PS)
- $\bullet\,$ Temperature use: -190 °C to 120 °C (PP) / -10 °C to 70 °C (PS)
- Sterile
- Dimensions (HxØ) 95 x 17 mm

Product Applications

Cell culture

Routine laboratory procedures like centrifugation, heating and freezing

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by $national\ and\ international\ copyright\ law\ and\ are\ the\ property\ of\ STARLAB\ International\ GmbH.\ Any\ duplication,\ editing,\ distribution$ and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.









General Data

| Art. No. | See variations |
|--------------|----------------|
| Sterile | Yes |
| Volume | 14 ml |
| Pyrogen free | Yes |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD

5 Tanners Drive MK14 5BU Milton Keynes Email: infoline@starlab.co.uk







More informations about Culture Tubes

These disposable sterile tubes can be used for most routine laboratory procedures. They are biologically inert and exempt from mold release agents. Precision molding with virgin thermoplastics ensures that our tubes will be uniform in size and shape. High resistance to breakage reduces danger in handling infectious or other potentially harmful cultures. Dual position natural caps, which can be left loose for aerobic work or sealed for anaerobic cultures.

Transparent polystyrene tubes will withstand moderate centrifugation speeds $(1,400 \times g)$ and temperatures to 70 °C. Translucent polypropylene tubes can be centrifuged at higher speeds $(3,000 \times g)$ and resist temperatures from -190 °C to 120 °C.

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

5 Tanners Drive MK14 5BU Milton Keynes Email: infoline@starlab.co.uk



Starlab (UK) LTD





All Variations

| PRODUCT NAME | | PACKAGING SIZE | ART. NO. |
|--------------|--|--------------------------------|------------|
| | 14 ml Polypropylene Culture Tube with Cap Material: Polypropylene Create PDF Data Sheet | 500 Tubes (20 Bags × 25 Tubes) | I1485-0810 |
| 11 | 14 ml Polystyrene Culture Tube with Cap Material: Polystyrene Create PDF Data Sheet | 500 Tubes (20 Bags × 25 Tubes) | I1485-2810 |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD

5 Tanners Drive MK14 5BU Milton Keynes Email: infoline@starlab.co.uk

