




## PlateOne® Microplates



### Product Highlights

- Virgin polypropylene plates for reduced sample binding compared to polystyrene plates
- High chemical resistance
- Raised wells help prevent cross contamination (96-well plates)
- Highly visible printed, alpha-numeric matrix
- SBS footprint
- Plate temperature use: -80 °C to 121 °C.
- Autoclavable
- Certified RNase, DNase and DNA free
- Sterile plates are also Pyrogen free

## Product Applications

Sample storage and preparation  
Storage of cDNA or genomic banks  
Storage of siRNA or oligonucleotide libraries  
Preparation of tissue and plant lysates  
Assays that require high resistance against temperature or solvent  
Genotyping  
Protein analysis  
Active ingredient screening

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab (UK) LTD**  
5 Tanners Drive  
MK14 5BU Milton Keynes  
Email: [info@starlab.co.uk](mailto:info@starlab.co.uk)



## General Data

Art. No.	See variations
Pack Size	80 Plates (4 Packs × 20 Plates)
Dimensions (W × D × H)	127.8 mm × 85.5 mm × 14.35 mm
Dimensions (W × D)	127.8 mm × 85.5 mm
Autoclavable	Yes
Material	Polypropylene
DNA free	Yes
DNase free	Yes
Pyrogen free	Yes
RNase free	Yes
Color	Clear
Elevated wells	yes

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab (UK) LTD**  
5 Tanners Drive  
MK14 5BU Milton Keynes  
Email: [info@starlab.co.uk](mailto:info@starlab.co.uk)



## More informations about PlateOne® Microplates













PlateOne® Microplates are available in three styles, all with a highly-visible solventresistant, alpha-numeric matrix. These high-clarity polypropylene plates offer excellent sample recovery compared to polystyrene plates. All plates conform to the SBS standard for compatibility with your automated equipment.

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab (UK) LTD**  
5 Tanners Drive  
MK14 5BU Milton Keynes  
Email: [info@starlab.co.uk](mailto:info@starlab.co.uk)



## All Variations

PRODUCT NAME	PACKAGING SIZE	ART. NO.
 <a href="#">Flat Bottom (F) Plates, max. Working Volume 370 µl</a> <b>Profile:</b> Round wells with flat bottoms <b>Sterile:</b> No  <a href="#">Create PDF Data Sheet</a>	80 Plates (4 Packs × 20 Plates)	S1837-9600
 <a href="#">Flat Bottom (F) Plates, max. Working Volume 370 µl, Sterile</a> <b>Profile:</b> Round wells with flat bottoms <b>Sterile:</b> Yes  <a href="#">Create PDF Data Sheet</a>	80 Plates (4 Packs × 20 Plates)	S1837-9610
 <a href="#">Round Bottom (U) Plates, max. Working Volume 320 µl</a> <b>Profile:</b> Round wells with round bottoms <b>Sterile:</b> No  <a href="#">Create PDF Data Sheet</a>	80 Plates (4 Packs × 20 Plates)	S1830-9600
 <a href="#">Round Bottom (U) Plates, max. Working Volume 320 µl, Sterile</a> <b>Profile:</b> Round wells with round bottoms <b>Sterile:</b> Yes  <a href="#">Create PDF Data Sheet</a>	80 Plates (4 Packs × 20 Plates)	S1830-9610
 <a href="#">Conical Bottom (V) Plates, max. Working Volume 320 µl</a> <b>Profile:</b> Round wells with conical bottoms <b>Sterile:</b> No  <a href="#">Create PDF Data Sheet</a>	80 Plates (4 Packs × 20 Plates)	S1833-9600
 <a href="#">Conical Bottom (V) Plates, max. Working Volume 320 µl, Sterile</a> <b>Profile:</b> Round wells with conical bottoms <b>Sterile:</b> Yes  <a href="#">Create PDF Data Sheet</a>	80 Plates (4 Packs × 20 Plates)	S1833-9610

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab (UK) LTD**  
5 Tanners Drive  
MK14 5BU Milton Keynes  
Email: [info@starlab.co.uk](mailto:info@starlab.co.uk)