



## 60 ml - 250 ml Straight-Sided Metal Cap Containers



### Product Highlights

- Crystal clear polystyrene containers
- Aluminium screw caps
- Temperature use: -10 °C to 70 °C.

## Product Applications

Sample preparation

Sample storage

Preparation of master mixes and buffers

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab (UK) LTD**  
5 Tanners Drive  
MK14 5BU Milton Keynes  
Email: [info@starlab.co.uk](mailto:info@starlab.co.uk)



## General Data

Art. No.	See variations
Autoclavable	No
Material	Polystyrene
Cap material	Aluminium
Max. temp.	70 °C
Temperature range	-10 to 70 °C
Min. temp.	-10 °C

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab (UK) LTD**  
5 Tanners Drive  
MK14 5BU Milton Keynes  
Email: [info@starlab.co.uk](mailto:info@starlab.co.uk)











## More informations about 60 ml - 250 ml Straight-Sided Metal Cap Containers

A range of crystal clear polystyrene containers with metal caps. Choose from a 60ml sterile container with printed patient label or the aseptically\* produced 100 ml, 150 ml & 250 ml containers without labels. All containers have aluminium screw caps. Temperature use: -10 °C to 70 °C.

*\* Aseptically produced in a fully-automated and bio-controlled environment.*



## All Variations

PRODUCT NAME	PACKAGING SIZE	ART. NO.
 <a href="#">60 ml Polystyrene Container, Metal Cap, Printed Label (sterile)</a> <b>Volume:</b> 60 ml  <a href="#">Create PDF Data Sheet</a>	300 Pcs. (1 Box × 300 Pcs.)	E1412-6000
 <a href="#">150 ml Polystyrene Container, Metal Cap, non-sterile</a> <b>Volume:</b> 150 ml  <a href="#">Create PDF Data Sheet</a>	120 Pcs. (1 Box × 120 Pcs.)	E1412-1500
 <a href="#">100 ml Polystyrene Container, Metal Cap, non-sterile</a> <b>Volume:</b> 100 ml  <a href="#">Create PDF Data Sheet</a>	160 Pcs. (1 Box × 160 Pcs.)	E1412-1000
 <a href="#">250 ml Polystyrene Container, Metal Cap, non-sterile</a> <b>Volume:</b> 250 ml  <a href="#">Create PDF Data Sheet</a>	48 Pcs. (1 Box × 48 Pcs.)	E1412-2500

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab (UK) LTD**  
5 Tanners Drive  
MK14 5BU Milton Keynes  
Email: [info@starlab.co.uk](mailto:info@starlab.co.uk)