



12 x 75 Tubes



Product Highlights

- Graduated at 1.0 ml, 2.5 ml and 4.0 ml

Product Applications

Sample preparation
Centrifugation
Sample storage
Preparation of master mixes and buffers

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: infoline@starlab.co.uk



General Data

Art. No.	See variations
Sterile	No
Max. temp.	80 °C
Temperature range	-50 to 80 °C
Temperature min. (SL)	-50 °C

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: infoline@starlab.co.uk



More informations about 12 x 75 Tubes

Polypropylene or polystyrene tubes. Leakproof push-on polyethylene cap (sold separately) with a ribbed plug to clamp firmly on the tube.

Centrifugation rates: 15,000 x g (PP), 7000 x g (PS). Temperature use: -50 °C to 80 °C (PP tubes* with cap) / -10 °C to 70 °C (PS tubes with cap).

**PP tubes without cap are autoclavable (temp. use: -80°C to 121°C)*

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: infoline@starlab.co.uk



All Variations

PRODUCT NAME	PACKAGING SIZE	ART. NO.
 12x75 Graduated Tube, Polystyrene Material: Polystyrene	2,000 Tubes (2 Bag × 1000 Tubes)	E1412-6200
 12x75 Graduated Tube, Polypropylene Material: Polypropylene	2,000 Tubes (2 Bag × 1000 Tubes)	E1412-6201
 Caps for 12x75 Graduated Tubes Material: Polyethylene	2,000 Pcs. (1 Bag × 2000 Pcs.)	E1412-6300

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: infoline@starlab.co.uk