



## ErgoOne® E 12-Channel Electronic Pipette, 50 – 1250µl



### **Product Highlights**

- Easy to use, intuitive menu structure
- Lightweight, ergonomic design
- Adjustable finger rest for individual comfort
- Significantly reduced tip loading and ejection forces
- Universal tip fit
- Reliable
- Autoclavable pipette shaft
- 12-month warranty
- Includes two free racks of matching TipOne<sup>®</sup> tips
- Includes shelf holder G9999-1009
- supplied with battery, mains adapter, shelf holder (G9999-1009), reagent reservoir, 1 set of O-rings, 2 racks with tips and silicone grease

## **Product Applications**

Pipetting Reverse Pipetting of "tricky" liquids (e. g. with high viscosity) Mixing Dispense Electrophoresis (excl. 1250 µl models)

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







# **General Data**

Art. No.	G9012-1250
Pack Size	1 Piece (1 Box × 1 Piece)
Color code	Blue
Autoclavable	Autoclavable pipette shaft
Volume range	50 - 1,250 μl
Volume	1250 µl
Volume Setting	Variable
Channel type	12-channel
Operating mode	Electronic
Pipetting type	Air-cushion
Operation	Battery operated piston stroke / manual tip ejection

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







# More informations about ErgoOne® E 12-Channel Electronic Pipette, 50 – 1250µl

#### **Reliable and ergonomic!**

ErgoOne<sup>®</sup> E multi-channel pipettes provide reliable pipetting every day. Ergonomic and lightweight, ErgoOne<sup>®</sup> E pipettes are perfect for comfortable pipetting during long periods of use.

Five operating modes provide standard and reverse pipetting, mixing and dispensing, plus a unique "Electrophoresis" mode to help you load gels easily. The long lasting battery can also be charged during use so you are never without your pipette.

Please note that GEL mode is not available for ErgoOne<sup>®</sup> E 1000 µl, 1250 µl and 5000 µl

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







# **All Variations**

PRODUCT NAME	E	PACKAGING SIZE	ART. NO.
E	ErgoOne® E 8-Channel Electronic Pipette, 0.5 – 10µl Channel type: 8-channel Volume range: 0.5 - 10 µl PPF Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9008-0010
E	ErgoOne® E 8-Channel Electronic Pipette, <u>1.0 – 20µl</u> Channel type: 8-channel Volume range: 1.0 - 20 µl PPT Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9008-0020
Et al	ErgoOne® E 8-Channel Electronic Pipette, 5.0 – 100µl Channel type: 8-channel Volume range: 5.0 - 100 µl	1 Piece (1 Box × 1 Piece)	G9008-0100
E Starte	ErgoOne® E 8-Channel Electronic Pipette, <u>15 – 300μl</u> Channel type: 8-channel Volume range: 15 - 300 μl Ppr Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9008-0300
12-3	ErgoOne® E 8-Channel Electronic Pipette, 50 – 1250µl Channel type: 8-channel Volume range: 50 - 1,250 µl PPF Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9008-1250
Et a	ErgoOne® E 12-Channel Pipette Electronic, 5.0 – 100μl Channel type: 12-channel Volume range: 5.0 - 100 μl Ppr Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9012-0100

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







PRODUCT NAME	:	PACKAGING SIZE	ART. NO.
E ····	ErgoOne® E 12-Channel Electronic Pipette, 0.5 – 10µl Channel type: 12-channel Volume range: 0.5 - 10 µl PPP Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9012-0010
El	ErgoOne® E 12-Channel Electronic Pipette, 1.0 – 20µl Channel type: 12-channel Volume range: 1.0 - 20 µl PPP Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9012-0020
E	ErgoOne® E 12-Channel Electronic Pipette, 15 – 300µl Channel type: 12-channel Volume range: 15 - 300 µl Treate PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9012-0300
1 m	ErgoOne® E 12-Channel Electronic Pipette, 50 – 1250μl Channel type: 12-channel Volume range: 50 - 1,250 μl Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9012-1250

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







## Accessories

PRODUCT NAME	1	PACKAGING SIZE	ART. NO.
~~	Replacement Battery for ErgoOne® E	1 Piece (1 Box × 1 Piece)	G9999-1005
the second secon	<u>Silicone Oil for Piston (for 5000 µl Single-</u> <u>Channel and all Multi-Channel Pipettes)</u>	1 Piece (1 Pack × 1 Piece)	G9999-1007
1	<u>Fluorstatic Grease for Guiding Axis (for</u> <u>Multi-Channel Pipettes)</u>	1 Piece (1 Pack × 1 Piece)	G9999-1008
1	<u>Individual Stand (for all ErgoOne® E Multi-</u> <u>Channel Pipettes up to 300 μl)</u>	1 Piece (1 Box × 1 Piece)	G9999-1004
the second	Piston grease for ErgoOne® E 8- and 12- channel pipettes 1250 µl	1 Piece (1 Box × 1 Piece)	G9999-1012
*	Shelf Holder for one ErgoOne® E pipette	1 Piece (1 Box × 1 Piece)	G9999-1009
4	Wall Mount for one ErgoOne® E pipette	1 Piece (1 Box × 1 Piece)	G9999-1010
1	<u>Universal stand for one ErgoOne® E pipette -</u> <u>all volumes</u>	1 Piece (1 Box × 1 Piece)	G9999-1011
ee Libbo	<u>O-ring ErgoOne® E 8/12-с 1250 µl</u>	1 Piece (1 Pack × 1 Piece)	P7121-1201
e e e e e e e e e e e e e e e e e e e	<u>Piston-shaft unit ErgoOne® E 1250 µl</u>	1 Piece (1 Pack × 1 Piece)	P7141-1211
86	AC Adapter for Europe/UK (230V/50 Hz)	1 Piece (1 Box × 1 Piece)	G9999-1000

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

