



500 – 5000 µl ErgoOne® Single-Channel Pipette



Product Highlights

- Minimal operating forces
- Lightweight ergonomic design
- Colour coded
- Volume lock
- -----
- Fully autoclavable
- 3 year warranty
- Compatible with Eppendorf-style tips (e.g., I1050-0700, I1053-0728) when fitted with the optional ejector (available upon request)

Product Applications

Pipetting liquids Mixing liquids Reverse pipetting of "tricky" liquids (e.g. with high viscosity) Filling of plates, gels, and reaction vessels Phase extraction and removal of supernatants

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







General Data

Art. No.	\$7150-5000
Pipetting type	Air-cushion
Channel type	1-channel
Color code	Violet
Operation	Mechanical, separate control button and ejector
Pack Size	1 Piece (1 Box × 1 Piece)
Autoclavable	Yes
Volume Setting	Variable
Cone type	Standard-cone
Volume range	500 - 5,000 μl
Volume	5000 µl

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







More informations about 500 – 5000 µl ErgoOne® Single-Channel Pipette

Setting the new standard in pipetting

Every day, pipettes are confronted with multiple tasks that must be exact and precise. Reliability is key in the laboratory and your pipette must be trusted to perform well, day in, day out.

As one of the most frequently used instruments in the laboratory, pipettes must also be comfortable to use and provide the features you need. ErgoOne^{*} pipettes combine researcher-requested features with the latest ergonomic principles to provide optimum performance.

ErgoOne[®] provides you with accuracy and precision you can trust, and a stylish new look you will love.

Lightweight and extremely easy to use, ErgoOne[®] can be trusted to provide accurate and precise pipetting all day, every day.

Use with Gilson[°]-Style macro tips and filter tips (I1050-000 (loose), I1050-0700 (racked), I1050-0710 (racked sterile) or I1050-0728 (racked sterile filter tip).

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







All Variations

PRODUCT NAME	1	PACKAGING SIZE	ART. NO.
ţ	0.1 - 2.5μl ErgoOne [®] Single-Channel Pipette Volume range: 0.1 - 2.5 μl Cone type: Standard-cone	1 Piece (1 Box × 1 Piece)	S7100-0125
ţ	2 - 20µl ErgoOne® Single-Channel Pipette (Standard Cone) Volume range: 2.0 - 20 μl Cone type: Standard-cone Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	S7100-0220
ţ	2 - 20μl ErgoOne® Single-Channel Pipette (Micro Cone) Volume range: 2.0 - 20 μl Cone type: Micro-cone	1 Piece (1 Box × 1 Piece)	S7100-0221
¢	0,5 - 10μl ErgoOne® Single-Channel Pipette Volume range: 0.5 - 10 μl Cone type: Standard-cone	1 Piece (1 Box × 1 Piece)	S7100-0510
t	<u>10 – 100 μl ErgoOne[®] Single-Channel</u> <u>Pipette</u> Volume range : 10 - 100 μl Cone type : Standard-cone <u>PPP</u> <u>Create PDF Data Sheet</u>	1 Piece (1 Box × 1 Piece)	S7100-1100
¢	20 – 200 µl ErgoOne® Single-Channel <u>Pipette</u> Volume range : 20 - 200 µl Cone type : Standard-cone <u>Prop</u> <u>Create PDF Data Sheet</u>	1 Piece (1 Box × 1 Piece)	S7100-2200

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







PRODUCT NAME		PACKAGING SIZE	ART. NO.
ţ	<u>100 – 1000 μl ErgoOne® Single-Channel</u> <u>Pipette</u> Volume range: 100 - 1,000 μl Cone type: Standard-cone	1 Piece (1 Box × 1 Piece)	S7110-1000
ţ	500 – 5000 μl ErgoOne® Single-Channel Pipette Volume range: 500 - 5,000 μl Cone type: Standard-cone Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	S7150-5000

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







Accessories

PRODUCT NAME		PACKAGING SIZE	ART. NO.
	ErgoOne® Carousel Stand for up to 8 Pipettes (Universal)	1 Piece (1 Box × 1 Piece)	S7200-0000
AMAA .	Acrylic Stand for up to 5 Pipettes (Universal)	1 Piece (1 Pack × 1 Piece)	E3099-0000
A	Benchtop Support for ErgoOne® Pipettes	5 Pcs. (1 Pack × 5 Pcs.)	E3099-0002
	Self-Adhesive Shelf Holder for one ErgoOne®	1 Piece (1 Pack × 1 Piece)	E3099-0001
Þ	ErgoOne® Wall Mount, Self-Adhesive, for one Pipette	1 Pcs. (1 Pack × 1 Pcs.)	S7200-0001

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

