



0.5 – 10µl ErgoOne® 12-Channel Pipette



Product Highlights

- Minimal operating forces
- Leightweight ergonomic design
- Colour coded
- Volume lock
- Universal tip fit
- Fully autoclavable
- 3 year warranty

Product Applications

Pipetting liquids Mixing liquids Reverse pipetting of "tricky" liquids (e.g. with high viscosity) Filling of plates, gels, and reaction vessels Phase extraction and removal of supernatants

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







General Data

| Art. No. | S7112-0510 |
|----------------|---|
| Pipetting type | Air-cushion |
| Channel type | 12-channel |
| Color code | Red |
| Operation | Mechanical, separate control button and ejector |
| Pack Size | 1 Piece (1 Box × 1 Piece) |
| Autoclavable | Yes |
| Volume Setting | Variable |
| Volume range | 0.5 - 10 μl |
| Volume | 10 µl |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







More informations about 0.5 – 10µl ErgoOne® 12-Channel Pipette

A great tool to speed up your pipetting process

ErgoOne^{*} multi-channel pipettes are designed in accordance with the latest ergonomic principles. The pipette is extremely easy to use and has minimal operating forces to help prevent hand fatigue. ErgoOne^{*} multi-channel pipettes provide accurate and precise pipetting in a variety of volume ranges.

As one of the most frequently used instruments in the laboratory, pipettes must also be comfortable to use and provide the features you need. ErgoOne^{*} pipettes combine researcher-requested features with the latest ergonomic principles to provide optimum performance. ErgoOne^{*} gives you accuracy and precision you can trust, with a stylish new look you will love.

Lightweight and extremely easy to use, ErgoOne^{*} can be trusted to provide accurate and precise pipetting all day, every day. Use with STARLAB's TipOne^{*} pipette tips for the perfect pipetting partnership.

ErgoOne[®] is designed to fit all popular pipettes without any loss of accuracy and precision.

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







All Variations

| PRODUCT NAME | 1 | PACKAGING SIZE | ART. NO. |
|--------------|---|---------------------------|-------------|
| ţ | 0.5 – 10 µl ErgoOne® 8-Channel Pipette Volume range: 0.5 - 10 µl Channel type: 8-channel PPF Create PDF Data Sheet | 1 Piece (1 Box × 1 Piece) | S7108-0510 |
| t | <u>10 – 100 µl ErgoOne® 8-Channel Pipette</u> Volume range: 10 - 100 µl Channel type: 8-channel PPF Create PDF Data Sheet | 1 Piece (1 Box × 1 Piece) | \$7108-1100 |
| t | <u>30 – 300 µl ErgoOne® 8-Channel Pipette</u> Volume range: 30 - 300 µl Channel type: 8-channel PPP Create PDF Data Sheet | 1 Piece (1 Box × 1 Piece) | S7108-3300 |
| ţ | 0.5 – 10μl ErgoOne® 12-Channel Pipette Volume range: 0.5 - 10 μl Channel type: 12-channel PPF Create PDF Data Sheet | 1 Piece (1 Box × 1 Piece) | S7112-0510 |
| | <u>10 – 100μl ErgoOne® 12-Channel Pipette</u> Volume range: 10 - 100 μl Channel type: 12-channel | 1 Piece (1 Box × 1 Piece) | S7112-1100 |
| ţ. | <u>30 – 300μl ErgoOne® 12-Channel Pipette</u> Volume range: 30 - 300 μl Channel type: 12-channel PPF Create PDF Data Sheet | 1 Piece (1 Box × 1 Piece) | S7112-3300 |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.







Accessories

| PRODUCT NAM | E | PACKAGING SIZE | ART. NO. |
|-------------|---|----------------------------|------------|
| | Self-Adhesive Shelf Holder for one ErgoOne® | 1 Piece (1 Pack × 1 Piece) | E3099-0001 |
| R | Benchtop Support for ErgoOne® Pipettes | 5 Pcs. (1 Pack × 5 Pcs.) | E3099-0002 |
| ATTA: | Acrylic Stand for up to 5 Pipettes (Universal) | 1 Piece (1 Pack × 1 Piece) | E3099-0000 |
| 1 | ErgoOne® Carousel Stand for up to 8 Pipettes (Universal) | 1 Piece (1 Box × 1 Piece) | S7200-0000 |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

