



ErgoOne® E 12-Channel Electronic Pipette, 15 - 300µl



Product Highlights

- Easy to use, intuitive menu structure
- Lightweight, ergonomic design
- Adjustable finger rest for individual comfort
- Significantly reduced tip loading and ejection forces
- Universal tip fit
- Reliable
- Autoclavable pipette shaft
- 12-month warranty
- Includes a free rack of matching TipOne® tips
- Includes Pipette Stand G9999-1004
- Supplied with battery, AC adapter, individual stand (G9999-1004), reagent reservoir, 1 set of o-rings, 1 rack of tips and silicone grease

Product Applications

Pipetting

Reverse Pipetting of "tricky" liquids (e. g. with high viscosity)

Mixing

Dispense

Electrophoresis (excl. 1250 µl models)

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD







General Data

Art. No. G9012-0300 Pack Size 1 Piece (1 Box × 1 Piece) Color code Green Autoclavable Autoclavable pipette shaft Volume range 15 - 300 μl Volume 300 μl Volume Setting Variable Channel type 12-channel Operating mode Electronic Pipetting type Air-cushion		
Color code Green Autoclavable Autoclavable pipette shaft Volume range 15 - 300 µl Volume 300 µl Volume Setting Variable Channel type 12-channel Operating mode Electronic	Art. No.	G9012-0300
Autoclavable Autoclavable pipette shaft Volume range 15 - 300 μl Volume 300 μl Volume Setting Variable Channel type 12-channel Operating mode Electronic	Pack Size	1 Piece (1 Box × 1 Piece)
Volume range 15 - 300 μl Volume Setting Variable Channel type 12-channel Operating mode Electronic	Color code	Green
Volume Setting Variable Channel type 12-channel Operating mode Electronic	Autoclavable	Autoclavable pipette shaft
Volume Setting Variable Channel type 12-channel Operating mode Electronic	Volume range	15 - 300 µl
Channel type 12-channel Operating mode Electronic	Volume	300 μl
Operating mode Electronic	Volume Setting	Variable
	Channel type	12-channel
Pipetting type Air-cushion	Operating mode	Electronic
	Pipetting type	Air-cushion
Operation Battery operated piston stroke / manual tip ejection	Operation	Battery operated piston stroke / manual tip ejection

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.









More informations about ErgoOne® E 12-Channel Electronic Pipette, 15 – 300µl

Reliable and ergonomic!

ErgoOne[®] E electronic pipettes provide reliable pipetting every day. Ergonomic and lightweight, ErgoOne[®] E pipettes are perfect for comfortable pipetting during long periods of use. ErgoOne[®] E and Starlab's TipOne[®] pipette tips provide the perfect pipetting partnership, but the optimized design of the tip cone provides the user with a convenient universal tip fit

Four operating modes provide standard and reverse pipetting, as well as mixing and dispensing. A unique "Electrophoresis" mode (available on all models excluding 1000 µl, 1250 µl, and 5000 µl,) is also available to help you load gels easily. The long-lasting battery can also be charged during use so you are never without your pipette.

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD 5 Tanners Drive

MK14 5BU Milton Keynes Email: infoline@starlab.co.uk







All Variations

PRODUCT NAME	t e	PACKAGING SIZE	ART. NO.
	ErgoOne® E 8-Channel Electronic Pipette, 0.5 – 10µl Channel type: 8-channel Volume range: 0.5 - 10 µl Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9008-0010
	<u> </u>		
i a	ErgoOne® E 8-Channel Electronic Pipette, 1.0 – 20µl Channel type: 8-channel Volume range: 1.0 - 20 µl Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9008-0020
S. C.	ErgoOne® E 8-Channel Electronic Pipette, 5.0 – 100µl Channel type: 8-channel Volume range: 5.0 - 100 µl Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9008-0100
	ErgoOne® E 8-Channel Electronic Pipette, 15 – 300μl Channel type: 8-channel Volume range: 15 - 300 μl Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9008-0300
	ErgoOne® E 8-Channel Electronic Pipette, 50 – 1250µl Channel type: 8-channel Volume range: 50 - 1,250 µl Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9008-1250
	ErgoOne® E 12-Channel Pipette Electronic, 5.0 – 100µl Channel type: 12-channel Volume range: 5.0 - 100 µl Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9012-0100

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD







PRODUCT NAMI	E	PACKAGING SIZE	ART. NO.
	ErgoOne® E 12-Channel Electronic Pipette, 0.5 - 10µl Channel type: 12-channel Volume range: 0.5 - 10 µl Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9012-0010
	ErgoOne® E 12-Channel Electronic Pipette, 1.0 - 20µl Channel type: 12-channel Volume range: 1.0 - 20 µl Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9012-0020
	ErgoOne® E 12-Channel Electronic Pipette, 15 - 300µl Channel type: 12-channel Volume range: 15 - 300 µl Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9012-0300
	ErgoOne® E 12-Channel Electronic Pipette, 50 – 1250µl Channel type: 12-channel Volume range: 50 - 1,250 µl Create PDF Data Sheet	1 Piece (1 Box × 1 Piece)	G9012-1250

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.









Accessories

PRODUCT NAME		PACKAGING SIZE	ART. NO.
(3)	Individual Stand (for all ErgoOne® E Multi- Channel Pipettes up to 300 μl)	1 Piece (1 Box × 1 Piece)	G9999-1004
4	Shelf Holder for one ErgoOne® E pipette	1 Piece (1 Box × 1 Piece)	G9999-1009
	Wall Mount for one ErgoOne® E pipette	1 Piece (1 Box × 1 Piece)	G9999-1010
1	<u>Universal stand for one ErgoOne® E pipette -</u> <u>all volumes</u>	1 Piece (1 Box × 1 Piece)	G9999-1011
4	Fluorstatic Grease for Guiding Axis (for Multi-Channel Pipettes)	1 Piece (1 Pack × 1 Piece)	G9999-1008
	Silicone Oil for Piston (for 5000 µl Single- Channel and all Multi-Channel Pipettes)	1 Piece (1 Pack × 1 Piece)	G9999-1007
~	Replacement Battery for ErgoOne® E	1 Piece (1 Box × 1 Piece)	G9999-1005
16	AC Adapter for Europe/UK (230V/50 Hz)	1 Piece (1 Box × 1 Piece)	G9999-1000

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD 5 Tanners Drive MK14 5BU Milton Keynes Email: infoline@starlab.co.uk

