



## Dry Bath System (Single Block)



### Product Highlights

- Microprocessor controlled timer and temperature
- Easy user calibration
- Digital display
- A range of metal blocks (sold separately)
- Single or dual block units available
- Use as mini water bath or bead bath possible
- 2-year warranty

## Product Applications

Heating  
Boiling  
Restriction digests  
Denaturing DNA  
NUB  
Melting agar  
Coagulation studies  
In situ hybridisation  
Hot Start thermocycler reactions

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab (UK) LTD**  
5 Tanners Drive  
MK14 5BU Milton Keynes  
Email: [info@starlab.co.uk](mailto:info@starlab.co.uk)



## General Data

Art. No.	N2400-4001
Pack Size	1 Piece (1 Box × 1 Piece)
Dimensions (W × D × H)	200 mm × 298 mm × 80 mm
Dimensions (W × D)	200 mm × 298 mm
Block Dimensions	80 x 105 x 50 mm (except N2400-4108)
Weight	2.1 kg
Water bath volume	400 ml
Unit Material	Aluminium
Power supply	220 V
Max. power consumption	125 W
Timing capacity	0-999 minutes
Operating temperature	5 °C above ambient to 150 °C
Temperature accuracy	±0.2 °C
Temperature calibration	Yes
Temperature increase	0.1 °C
Temperature uniformity	±0.2 °C
Controller	Digital Microprocessor
Display	Digital
Safety Device	Leak-proof heating chamber

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab (UK) LTD**  
5 Tanners Drive  
MK14 5BU Milton Keynes  
Email: [info@starlab.co.uk](mailto:info@starlab.co.uk)



## More informations about Dry Bath System (Single Block)





### **Dry Bath. Wet Bath!**

Designed for a wide variety of applications, this Dry Bath, single block system can also be used as a mini water bath or with metal bath beads.

Eight different blocks (sold separately) cover a range of tubes from 0.2 ml up to 50 ml as well as a block for one PCR Plate to provide your lab with convenience and versatility, as well as great value.



## Accessories

PRODUCT NAME	PACKAGING SIZE	ART. NO.
 <a href="#">Metal Block for 12 x 15ml Centrifuge Tube</a>	1 Piece (1 Box × 1 Piece)	N2400-4102
 <a href="#">Metal Block for 20 x 1.5ml Tubes (V-Bottom)</a>	1 Piece (1 Box × 1 Piece)	N2400-4104
 <a href="#">Metal Block for 20 Tubes up to 13mm Diameter</a>	1 Piece (1 Box × 1 Piece)	N2400-4106
 <a href="#">Metal Block for 96-Well PCR Plates (Single)</a>	1 Piece (1 Box × 1 Piece)	N2400-4107

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab (UK) LTD**  
5 Tanners Drive  
MK14 5BU Milton Keynes  
Email: [info@starlab.co.uk](mailto:info@starlab.co.uk)