



## GuardOne® Workstation, Dead Air 32 inch (80 cm)



#### **Product Highlights**

- Safe: Efficient UV<sub>254nm</sub> decontamination with timer function | Automatic UV lamp cut-off when front sash is opened
- **Reliable:** UV lamp lifespan surveillance | Device status monitoring
- Easy to use: Glove-compatible touchscreen | One touch QuickStart / QuickStop | Virtually maintenance free | Easy to clean
- Innovative: Minimal packaging volume and weight reduces transport needs | Easy, tool-free assembly set up your GuardOne® in just 15 minutes
- 2-year warrranty

## **Product Applications**

Sample preparation prior to thermocycling of DNA or RNA

Post-PCR techniques

Binding studies and other incubations

Cell culture work

Sterile solution preparations

(Molecular) plant physiology (use the innovative red-light option for light sensitive experiments)

Microbiological culture work

Any sensitive experiments requiring a controlled, clean environment

\*GuardOne® is not designed to protect the operator

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD







## **General Data**

Art. No.	\$8040-1000
Pack Size	1 Piece (1 Pack × 1 Piece)
Dimensions	32 in (80 cm)
Dimensions (W × D × H)	813 mm × 610 mm × 877 mm
Dimensions (W × D)	813 mm × 610 mm
Weight	32 kg
HEPA Filter	No
HEPA Filter Life Monitor	No
Max. power consumption	38 W
Lab Event Timer	Yes
UV Light Timer	Yes: Osec - 23h:59min:59sec (digital)
Fluorescent bulb	Yes
LED Light Density	1400 lx
Pre-Filter	No
UV Bulb	1x 15 W
UV Bulb Live Monitor	Yes
UV Safety Interlock Switch	Yes
UVTect Controller	Yes

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD







# More informations about GuardOne® Workstation, Dead Air 32 inch (80 cm)

#### Work with your valuable samples without cross-contamination

Starlab's new GuardOne® Workstation provides the ideal workspace for sensitive and critical applications requiring a clean environment, or protection from potential contaminations by bacteria, DNA or RNA. GuardOne® minimizes cross-contamination risk and protects your valuable samples and reagents and saves you time by not having to duplicate your work.

The GuardOne® fanless workbench with its circulation-free environment helps you improve your results. The UV lamp with timer function allows you to easily decontaminate the working area whenever needed. Made from optically-clear,

UV-impermeable polycarbonate, GuardOne<sup>\*</sup> provides the user with an optimal view while working and full protection from harmful UV when decontaminating. A safety-switch on the sash door prevents any UV use while working.

Every aspect of GuardOne<sup>®</sup> has been designed with convenience in mind. All functions can be controlled via the intuitive touchscreen that is compatible with laboratory gloves. The integrated lab timer, constant monitoring of the UV lamp lifespan will ease your work further. Check the GuardOne<sup>®</sup> status at a glance and at any time using the color coded status indicator on the touchscreen.

#### **Features:**

- > Double folding sash for easy access
- > Optically-clear, UV-impermeable polycarbonate provides excellent visability of the working area as well as full protection from harmful UV
- > Polymer bases instead of stainless steel to prevent corroding from cleaning with disinfectants
- > Spill groove to contain spills
- > Shelf with integrated pipette holder
- > Equipment access ports
- > UV lamp lifespan of up to 9000 hours
- > Optional trolley available

#### GuardOne® Workstation can be used for various applications such as:

- > Sample preparation prior to thermocycling of DNA or RNA
- > Post-PCR techniques
- > Binding studies and other incubations
- > Cell culture work
- > Sterile solution preparations
- > (Molecular) plant physiology (use the innovative red-light option for light sensitive experiments)

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD







- > Microbiological culture work
- > Any sensitive experiments requiring a controlled, clean environment
- > GuardOne® is not designed to protect the operator

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD







## **All Variations**

(80 cm) Dimension	Workstation, Dead Air 32 inch  ns: 32 in (80 cm)  te PDF Data Sheet	1 Piece (1 Pack × 1 Piece)	\$8040-1000
(120 cm) Dimension	© Workstation, Dead Air 48 inch  ns: 48 in (120 cm)  te PDF Data Sheet	1 Piece (1 Pack × 1 Piece)	S8040-1001

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD







## Accessories

PRODUCT NAM	Е	PACKAGING SIZE	ART. NO.
Bond tues	Replacement hood for GuardOne® Workstation 48" models	1 Piece (1 Pack × 1 Piece)	S8040-0037
Bono taxos	Replacement hood for GuardOne® Workstation 32" models	1 Piece (1 Pack × 1 Piece)	S8040-0036
	Replacement UV lamp for GuardOne® Workstation 48" models	2 Pcs. (1 Pack × 2 Pcs.)	\$8040-0013
	Replacement UV lamp for GuardOne® Workstation 32" models	1 Piece (1 Pack × 1 Piece)	S8040-0012
	Pre-Filter for GuardOne® Workstation 32" & 48" laminar flow models	2 Pcs. (1 Pack × 2 Pcs.)	S8040-0014
1111	Replacement shelf with integrated pipette holder for GuardOne® Workstation 48" models	1 Piece (1 Pack × 1 Piece)	S8040-0016
	Replacement shelf with integrated pipette holder for GuardOne® Workstation 32" models	1 Piece (1 Pack × 1 Piece)	\$8040-0015
	HEPA Filter for GuardOne® Workstation 48" laminar flow model	2 Pcs. (1 Pack × 2 Pcs.)	\$8040-0011
	HEPA Filter for GuardOne® Workstation 32" laminar flow model	1 Piece (1 Pack × 1 Piece)	\$8040-0010
	<u>Trolley for GuardOne® Workstation 48"</u> <u>models</u>	1 Piece (1 Pack × 1 Piece)	\$8040-0018
	<u>Trolley for GuardOne® Workstation 32"</u> <u>models</u>	1 Piece (1 Pack × 1 Piece)	\$8040-0017

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD

