



3D Rocking Shaker



Product Highlights

- 3D mixing
- Easy to use
- LCD displays for speed and time
- Two operating modes: continuous and timer
- Alternative platform available
- 2-year warranty

Product Applications

Sample preparation

Gentle to vigorous sample mixing

Inkubation

Hybridisation

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: info@starlab.co.uk



General Data

Art. No.	N2400-8020
Pack Size	1 Piece (1 Box × 1 Piece)
Dimensions (W × D × H)	370 mm × 420 mm × 200 mm
Dimensions (W × D)	370 mm × 420 mm
Platform Dimensions	300 x 300 mm
Weight	9 kg
Type of movement	3D mixing
Operation	Two: timer and continuous
Power supply	100 – 240 V, 50/60 Hz
Max. power consumption	50 W
Timing capacity	10–1199 mins (19 hrs, 59 mins)
Operating temperature	4 to 40 °C
Permissible Ambient Temperature	4 – 40 °C
Display	LCD
Max. Load	5 kg
Max. RCF	70 rpm
Speed Range	10 – 70 rpm
Tilt angle	9 °

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: info@starlab.co.uk



More informations about 3D Rocking Shaker





Shaken, not stirred!

STARLAB offers two similar shakers but with different movements: see-saw rocking or 3D. Both shakers have a fixed tilt angle and provide two shaking modes: continuous or timer. The digital speed and timer displays ensure ease of use. Both shakers are supplied with a platform with bungee cords.

An alternative platform with clamping rolls is available separately, making these shakers suitable for a wide range of applications including blotting, cultivation and incubation techniques.



All Variations




PRODUCT NAME		PACKAGING SIZE	ART. NO.
	Rocking Shaker Type of movement: See-saw rocking	1 Piece (1 Box × 1 Piece)	N2400-8010
	 Create PDF Data Sheet		
	3D Rocking Shaker Type of movement: 3D mixing	1 Piece (1 Box × 1 Piece)	N2400-8020
	 Create PDF Data Sheet		

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: info@starlab.co.uk



Accessories

PRODUCT NAME		PACKAGING SIZE	ART. NO.
	Replacement rubber gaiter	1 Piece (1 Box × 1 Piece)	N2400-8022
	Universal Platform with Rubber Mat and Bungee Cords	1 Piece (1 Box × 1 Piece)	N2400-8021
	Universal Platform with Clamping Rolls	1 Piece (1 Box × 1 Piece)	N2400-8011

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: info@starlab.co.uk