




Orbital Shaker (without platform)



Product Highlights

- Gentle agitation up to vigorous orbital motion
- LCD displays for speed and time
- Two operating modes: continuous and timer
- Choice of two platforms available
- Holds load up to 7.5 kg
- Small footprint
- 2-year warranty

Product Applications

Sample preparation

Gentle to vigorous sample mixing

Inkubation

Cell Culture

Cultivation

Hybridisation

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: info@starlab.co.uk



General Data

| | |
|---------------------------------|----------------------------------|
| Art. No. | N2400-8030 |
| Pack Size | 1 Piece (1 Box × 1 Piece) |
| Dimensions (W × D × H) | 420 mm × 370 mm × 100 mm |
| Dimensions (W × D) | 420 mm × 370 mm |
| Platform Dimensions | 300 x 300 mm |
| External width | 420 mm |
| Orbital Diameter | 10 mm |
| Weight | 13.5 kg |
| Type of movement | Orbital |
| Operation | Two: timer and continuous |
| Power supply | 100 – 240 V, 50/60 Hz |
| Max. power consumption | 30 W |
| Timing capacity | 10–1199 mins (19 hrs 59 mins) |
| Operating temperature | 4 to 40 °C |
| Permissible Ambient Temperature | 4 – 40 °C |
| Display | LCD |
| Max. Load | 7.5 kg |
| Max. RCF | 500 rpm |
| RS232-Interface | Yes |
| Speed Range | 100 – 500 rpm |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: info@starlab.co.uk



More informations about Orbital Shaker (without platform)



Shake it all about!

The orbital shaker has two operating modes: continuous or timer. The digital speed and timer displays ensures ease of use. It provides the orbital shaking of your samples from a gentle agitation up to a vigorous orbital motion. The orbital shaker is suitable for a wide range of molecular biology or immunology applications.

The Orbital Shaker is NOT supplied with a platform. Two platforms are available and sold separately so you can customise your shaker to your requirements.



Accessories

| PRODUCT NAME | | PACKAGING SIZE | ART. NO. |
|---|---|---------------------------|------------|
|  | Universal Platform with Clamping Rolls | 1 Piece (1 Box × 1 Piece) | N2400-8011 |
|  | Universal Platform with Rubber Mat and Bungee Cords | 1 Piece (1 Box × 1 Piece) | N2400-8021 |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab (UK) LTD
5 Tanners Drive
MK14 5BU Milton Keynes
Email: info@starlab.co.uk