



ErgoOne® E Multi-Channel Pipettes



Product Highlights

- Easy to use, intuitive menu structure
- Lightweight, ergonomic design
- Adjustable finger rest for individual comfort
- Significantly reduced tip loading and ejection forces
- Universal tip fit
- Reliable
- Autoclavable pipette shaft
- 12-month warranty

Product Applications

Pipetting

Reverse Pipetting of "tricky" liquids (e. g. with high viscosity)

Mixing

Dispense

Electrophoresis (excl. 1250 µl models)

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab International GmbH
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de




General Data

Art. No.	See variations
Autoclavable	Autoclavable pipette shaft
Operating mode	Electronic
Pipetting type	Air-cushion
Operation	Battery operated piston stroke / manual tip ejection

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab International GmbH
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de



More informations about ErgoOne® E Multi-Channel Pipettes

Reliable and ergonomic!

ErgoOne® E electronic pipettes provide reliable pipetting every day. Ergonomic and lightweight, ErgoOne® E pipettes are perfect for comfortable pipetting during long periods of use. ErgoOne® E and Starlab's TipOne® pipette tips provide the perfect pipetting partnership, but the optimized design of the tip cone provides the user with a convenient universal tip fit.

Four operating modes provide standard and reverse pipetting, as well as mixing and dispensing. A unique "Electrophoresis" mode (available on all models excluding 1000 µl, 1250 µl, and 5000 µl,) is also available to help you load gels easily. The long-lasting battery can also be charged during use so you are never without your pipette.

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab International GmbH
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de




All Variations

PRODUCT NAME	PACKAGING SIZE	ART. NO.
 ErgoOne® E 8-Channel Electronic Pipette, 0.5 - 10 µl Channel type: 8-channel Volume range: 0.5 - 10 µl	1 Piece (1 Box x 1 Piece)	G9008-0010
 Create PDF Data Sheet		
 ErgoOne® E 8-Channel Electronic Pipette, 1.0 - 20 µl Channel type: 8-channel Volume range: 1.0 - 20 µl	1 Piece (1 Box x 1 Piece)	G9008-0020
 Create PDF Data Sheet		
 ErgoOne® E 8-Channel Electronic Pipette, 5.0 - 100 µl Channel type: 8-channel Volume range: 5.0 - 100 µl	1 Piece (1 Box x 1 Piece)	G9008-0100
 Create PDF Data Sheet		
 ErgoOne® E 8-Channel Electronic Pipette, 15 - 300 µl Channel type: 8-channel Volume range: 15 - 300 µl	1 Piece (1 Box x 1 Piece)	G9008-0300
 Create PDF Data Sheet		
 ErgoOne® E 8-Channel Electronic Pipette, 50 - 1250 µl Channel type: 8-channel Volume range: 50 - 1,250 µl	1 Piece (1 Box x 1 Piece)	G9008-1250
 Create PDF Data Sheet		
 ErgoOne® E 12-Channel Pipette Electronic, 5.0 - 100 µl Channel type: 12-channel Volume range: 5.0 - 100 µl	1 Piece (1 Box x 1 Piece)	G9012-0100
 Create PDF Data Sheet		

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.


Starlab International GmbH
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de



PRODUCT NAME	PACKAGING SIZE	ART. NO.
	ErgoOne® E 12-Channel Electronic Pipette, 0.5 - 10 µl Channel type: 12-channel Volume range: 0.5 - 10 µl	1 Piece (1 Box x 1 Piece) G9012-0010
	 Create PDF Data Sheet	
	ErgoOne® E 12-Channel Electronic Pipette, 1.0 - 20 µl Channel type: 12-channel Volume range: 1.0 - 20 µl	1 Piece (1 Box x 1 Piece) G9012-0020
	 Create PDF Data Sheet	
	ErgoOne® E 12-Channel Electronic Pipette, 15 - 300 µl Channel type: 12-channel Volume range: 15 - 300 µl	1 Piece (1 Box x 1 Piece) G9012-0300
	 Create PDF Data Sheet	
	ErgoOne® E 12-Channel Electronic Pipette, 50 - 1250 µl Channel type: 12-channel Volume range: 50 - 1,250 µl	1 Piece (1 Box x 1 Piece) G9012-1250
	 Create PDF Data Sheet	

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab International GmbH
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de



Accessories

PRODUCT NAME	PACKAGING SIZE	ART. NO.
	Replacement Battery for ErgoOne® E	1 Piece (1 Box × 1 Piece) G9999-1005
	Silicone Oil for Piston (for 5000 µl Single-Channel and all Multi-Channel Pipettes)	1 Piece (1 Pack × 1 Piece) G9999-1007
	Fluorstatic Grease for Guiding Axis (for Multi-Channel Pipettes)	1 Piece (1 Pack × 1 Piece) G9999-1008
	Individual Stand (for all ErgoOne® E Multi-Channel Pipettes up to 300 µl)	1 Piece (1 Box × 1 Piece) G9999-1004
	Shelf Holder for one ErgoOne® E pipette	1 Piece (1 Box × 1 Piece) G9999-1009
	Wall Mount for one ErgoOne® E pipette	1 Piece (1 Box × 1 Piece) G9999-1010
	Universal stand for one ErgoOne® E pipette - all volumes	1 Piece (1 Box × 1 Piece) G9999-1011
	AC Adapter for Europe/UK (230V/50 Hz)	1 Piece (1 Box × 1 Piece) G9999-1000

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab International GmbH
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de