
# Crystal Clear Microcentrifuge Tubes



**Product Highlights**

- Ultra smooth tube bottoms for 100% visibility
- Thin cap membrane for easy sample access with a syringe needle
- Max. centrifugation rate: 14,000–20,000 x g
- Temperature range: -80°C to 121°C
- Autoclavable
- Certified RNase, DNase and Pyrogen free

## Product Applications

Sample preparation
Centrifugation
Every application where a penetration of the cap is necessary
Sample storage

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab International GmbH**
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de

# General Data

| | |
|---|---|
| Art. No. | See variations |
| Autoclavable | Yes |
| Material | Polypropylene |
| DNA free | No |
| DNase free | Yes |
| Free of endotoxins | Yes |
| Pyrogen free | Yes |
| RNase free | Yes |
| Color | Crystal clear |
| g-Force max. | 14,000 x g - 20,000 x g |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab International GmbH**
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de

# More informations about Crystal Clear Microcentrifuge Tubes

› "Crystal Clear" polypropylene tubes for the ultimate in sample visibility
› Ultra smooth tube bottoms for 100% visibility
› Thin cap membrane for easy sample access with a syringe needle
› Frosted writing surface
› Max. centrifugation rate: 14,000–20,000 x g
› Temperature range: -80ºC to 121ºC.
› Autoclavable
› Certified RNase, DNase and Pyrogen free

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab International GmbH**
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de

# All Variations

| PRODUCT NAME | PACKAGING SIZE | ART. NO. |
|---|---|---|
|  0.6 ml Crystal Clear Microcentrifuge Tube<br>**Volume**: 0.6 ml<br>**Sterile**: No<br>Create PDF Data Sheet | 1,000 Tubes (2 Bags × 500 Tubes) | E1405-0600 |
|  0.6 ml Crystal Clear Microcentrifuge Tube<br>**Volume**: 0.6 ml<br>**Sterile**: Yes<br>Create PDF Data Sheet | 500 Tubes (5 Bags × 100 Tubes) | E1405-0610 |
|  1.5 ml Crystal Clear Microcentrifuge Tube<br>**Volume**: 1.5 ml<br>**Sterile**: No<br>Create PDF Data Sheet | 500 Tubes (1 Bags × 500 Tubes) | E1415-1500 |
|  1.5 ml Crystal Clear Microcentrifuge Tube<br>**Volume**: 1.5 ml<br>**Sterile**: Yes<br>Create PDF Data Sheet | 250 Tubes (5 Bags × 50 Tubes) | E1415-1510 |
|  2.0 ml Crystal Clear Microcentrifuge Tube<br>**Volume**: 2.0 ml<br>**Sterile**: No<br>Create PDF Data Sheet | 500 Tubes (1 Bags × 500 Tubes) | E1420-2000 |
|  2.0 ml Crystal Clear Microcentrifuge Tube<br>**Volume**: 2.0 ml<br>**Sterile**: Yes<br>Create PDF Data Sheet | 250 Tubes (5 Bags × 50 Tubes) | E1420-2010 |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab International GmbH**
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de

# Accessories

| PRODUCT NAME | PACKAGING SIZE | ART. NO. |
|---|---|---|
| Cap-Locks for 1.5 / 2.0 ml Microcentrifuge Tubes | 100 Pcs. (1 Bag × 100 Pcs.) | I1415-1508 |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab International GmbH**
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de