



Tube rotor for Starlab Minicentrifuge



Product Highlights

- 8-place rotor for 1.5 or 2.0 ml tubes, including screw cap tubes
- Also accommodates 0.2 ml or 0.5 ml tubes when used with the adapters (available separately)
- For use with the Starlab Minicentrifuge (S8030-5000) only
- Quick and easy, tool-free rotor exchange

Product Applications

Sample

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab International GmbH
Neuer Höltingbaum 38
22143 Hamburg
Email: info@starlab.de



General Data

Art. No.	S8030-5010
Pack Size	1 Piece (1 Box × 1 Piece)
RCF	2,500 × g

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

Starlab International GmbH
Neuer Höltingbaum 38
22143 Hamburg
Email: info@starlab.de



More informations about Tube rotor for Starlab Minicentrifuge

8-place Tube Rotor for use with the Starlab Minicentrifuge. Accommodates 1.5/2.0 ml microcentrifuge tubes or screw cap tubes. It can also accommodate 0.2 / 0.5 ml tubes with the special adapters (available separately). Maximum speed 2,500 x g (6,500 rpm).