



## Rotor Standard 24 AT (for Microcentrifuge 24)



### Product Highlights

- Max. speed 15,060 rpm
- Max. centrifugal force 21300 x g
- Max. capacity 24x 1.5/2.0 ml tubes
- Rotor and rotor lid made from low-weight aluminum
- Fully autoclavable
- Aerosol-tight

## Product Applications

Sample

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab International GmbH**  
Neuer Höltingbaum 38  
22143 Hamburg  
Email: [info@starlab.de](mailto:info@starlab.de)



## General Data

Art. No.	S8030-0010
Pack Size	1 Piece (1 Box × 1 Piece)
RCF	21300 × g
Speed Range	100 – 15,060 rpm

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab International GmbH**  
Neuer Höltingbaum 38  
22143 Hamburg  
Email: [info@starlab.de](mailto:info@starlab.de)



## More informations about Rotor Standard 24 AT (for Microcentrifuge 24)

STARLAB offers a wide range of accessories for the Microcentrifuge 24

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab International GmbH**  
Neuer Höltingbaum 38  
22143 Hamburg  
Email: [info@starlab.de](mailto:info@starlab.de)