# 96-Well PCR Plate, Skirted, Low Profile



**Product Highlights**

- Approximate maximum capacity for all 96-well plates is 350 µl for standard height plates, or 200 µl for low-profile plates
- Holes on sides for robotics handling
- Highly-visible printed matrix
- Certified RNase, DNase, DNA and Pyrogen-free
- PCR Inhibitor free
- _
- _

## Product Applications

PCR

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab International GmbH**
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de

# General Data

| | |
|---|---|
| Art. No. | E1403-5200 |
| Sterile | No |
| Autoclavable | Yes |
| Volume | 200 µl |
| Pack Size | 10 Plates (1 Pack × 10 Plates) |
| Number of wells | 96 wells |
| Material | Polypropylene |
| DNA free | Yes |
| DNase free | Yes |
| Free of endotoxins | Yes |
| PCR inhibitor free | Yes |
| Pyrogen free | Yes |
| RNase free | Yes |
| Color | Natural |
| Cut corner | A12 |
| Frame Design | Skirted |
| Matrix | Printed |
| Profile | Low |
| Suitable for PCR | yes |
| Suitable for Real-Time PCR (qPCR) | yes |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab International GmbH**
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de

# More informations about 96-Well PCR Plate, Skirted, Low Profile

Starlab Skirted 96- and 384-Well PCR Plates feature a 15 mm high full skirt around the complete plate edge. The skirt provides an extremely high plate stability, which is beneficial specifically in automated "High-Throughput" applications. These type of plates offer the largest area for marking on edge of the plates e. g. by barcodes. Starlab Skirted PCR Plates are available in standard or low profile format.

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab International GmbH**
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de

# Accessories

| PRODUCT NAME | | PACKAGING SIZE | ART. NO. |
|---|---|---|---|
|  | Polypropylene PCR Sealing Film Strips, Clear | 200 Pcs. (1 Box × 200 Pcs.) | E2796-2850 |
|  | Polyester PCR Sealing Film, Clear | 100 Pcs. (1 Box × 100 Pcs.) | E2796-0100 |
|  | Xtra-Clear Advanced Polyolefin StarSeal (qPCR) | 100 Pcs. (1 Box × 100 Pcs.) | E2796-9795 |
|  | Clear Polypropylene Seal (PCR) | 100 Pcs. (1 Box × 100 Pcs.) | E2796-0793 |
|  | Clear Polyolefin StarSeal (PCR) | 100 Pcs. (1 Box × 100 Pcs.) | E2796-9793 |
|  | Aluminium Sealing Film, 60 µm (PCR) | 100 Pcs. (1 Box × 100 Pcs.) | E2796-0792 |
|  | Aluminium StarSeal (PCR) | 100 Pcs. (1 Box × 100 Pcs.) | E2796-9792 |
|  | Silicone Sealing Mat for 96-Well PCR Plate | 5 Pcs. (1 Box × 5 Pcs.) | E1403-0000 |

STARLAB reserves the right to make changes at any time and without prior notice. The content and design of this PDF are protected by national and international copyright law and are the property of STARLAB International GmbH. Any duplication, editing, distribution and any kind of use and utilization of this PDF content in electronic systems, online media and / or libraries or similar databases requires the prior consent of STARLAB International GmbH.

**Starlab International GmbH**
Neuer Höltigbaum 38
22143 Hamburg
Email: info@starlab.de